




Answer the Door From Anywhere

Battery / Hardwired video doorbell now available



• HD Video with Two-way Talk

Built-in speaker and mic allow you to interact with visitors even when you're away



• Super Wide Viewing Angle

140° horizontal view makes sure nothing goes unseen



• Cloud Service

Cloud makes your life easier with push notifications, live video monitoring, and doorbell firmware upgrades



• PIR detection

PIR automatically sends a notification to your phone when it sees someone



• Power Supply

Battery or wired powered doorbell for different needs





Work well with external chime

Existing traditional mechanical or electronic chime
Dahua wireless chime: DS11


• Existing traditional electronic chime

- ② and ⑤ The existing wires of doorbell, connected to TRANS and FRONT
- ③ and ④ New wires, connect the Chime Kit to TRANS and FRONT
- ① and ⑥ Connect to DB11 and Power supply with the wire clips




• Existing traditional mechanical chime

Some types of mechanical chime also require chime kit.



• Work with Dahua wireless chime

- Power: 90~240Vac
- Work with DB11, configuration on imou app
- Multiple ring tones
- Easy to install (Wi-Fi connection)



The many advantages are the best arguments!



HD VIDEO TALK

You can always get the visitor
no matter where you are.



WIDE VIEW ANGLE

140 degree horizontal of view,
cover a whole door easily.



24/7 PIR DETECTION

Push real-time notice to your
phone when PIR triggered.



EXCELLENT NIGHT VISION

5 m ICR night vision,
Clear image without details lost.



CLOUD TALK & STORAGE

Alarm notifications, live video
monitoring, firmware upgrades.



POWER SUP

DB10: Battery
DB11: AC 16~24V/DC 12~24V

Technical Specifications

doorbell	DB10	DB11
Image		
Video encoding	H.264	H.264
Sensor	1/2.9" CMOS 2MP	1/2.9" CMOS 2MP
Viewing angle	140°	140°
Lens	1.9mm	1.9mm
Audio type	Two-way, Echo canceler, Noise canceler	Two-way, Echo canceler, Noise canceler
Button	1, Call Button	1, Call Button
Motion detection	PIR, 140°, 5m	PIR, 120°, 5m
IP protection rating	IP65	IP55
Memory	Local & Cloud	Local & Cloud
Material	Plastic	Plastic
Power	Battery (For 5 month)	16-24 VAC/ 12-24 VDC
Working temperature	- 10°C ~ +55°C	- 10°C ~ +55°C
Relative humidity	10% ~ 90%	10% ~ 90%
Dimensions	148.0mm×50.0mm×29.0mm	119.0mm×47.0mm×29.0mm

* Design and specifications are subject to change without notice.

Answer the Door From Anywhere, Oct. 2018



DAHUA TECHNOLOGY

No.1199 Bin'an Road, Binjiang District, Hangzhou, China. 310053

Tel: +86-571-87688883 Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuasecurity.com



© Dahua Technology, All rights reserved